## CON SPEC TUS

## CONSTRUCTION SPECIFICATION WRITING STUDY SESSION





## WHO IS CONSPECTUS?

Conspectus, Inc. is a national specification consultancy, employing 16 specifiers, providing high quality, <u>industry-leading specifications</u> and related consulting services on thousands of projects for some of the most prestigious design and engineering firms, government agencies, and private entities domestically and internationally.



## INSTRUCTORS



Melody Fontenot, CCS® Senior Specifier Portland, OR



Chris Ricke, CCS®
Senior Specifier
Topeka, KS



Steve Gantner, CCS®
Senior Specifier, EVP
St. Louis, MO



David Stutzman, CCS®
Senior Specifier, President
Tuckahoe, NJ



Terumi Woods, CCS®

Senior Specifier

San Francisco, CA



Hana Nguyenky, CCS®

Specifier
Charlottesville, VA



## **KNOWLEDGE AREAS**

#### **Domains:**

```
1 9/12 Planning, Development & Organization
```

```
4 9/19 Research
```

```
2 09/26 Coordination
```

6 10/03 Production, Part 1

6 10/10 Production, Part 2

5 10/24 Analysis

3 10/31 Procurement



## ITEMS TO NOTE



**GENERAL FYI** 

- No CDT<sup>®</sup> certification highly advisable to also read
   Project Delivery Practice Guide (PDPG).
- Yes CDT<sup>®</sup> certification brush up on the PDPG.
- Exam is based on CSI® Construction Specifications
   Practice Guide (CSPG) content, and may not always reflect the real world; we will note items which may not align.
- Those who wrote the CSPG are not the same as the exam writers; study guides have divided the source material read the entire book.
- We encourage interaction in the chat and will also provide time for Q&A at the end of each session.



## **AIA Continuing Education**

Conspectus, Inc. is a registered provider of AIA-approved continuing education under Provider Number 40103229. All registered AIA CES Providers must comply with the AIA Standards for Continuing Education Programs. Any questions or concerns about this provider or this learning program may be sent to AIA CES (cessupport@aia.org or (800) AIA 3837, Option 3).

This learning program is registered with AIA CES for continuing professional education. As such, it does not include content that may be deemed or construed to be an approval or endorsement by the AIA of any material of construction or any method or manner of handling, using, distributing, or dealing in any material or product. AIA continuing education credit has been reviewed and approved by AIA CES. Learners must complete the entire learning program to receive continuing education credit.

AIA continuing education Learning Units earned upon completion of this course will be reported to AIA CES for AIA members. Certificates of Completion for both AIA members and non-AIA members are available upon request.



## **Construction Specification Writing Session 6:**

## Procurement, Contracting, & General Requirements



Incorporate project-specific requirements into Division 01
General Requirements sections to clearly convey construction administrative requirements and processes, including RFIs, submittals, and substitutions.
Understand how this construction phase decision documentation can impact the resulting project and its inhabitants.




Coordinate general and specific requirements for mock-ups, testing, delegated design requirements, etc. and incorporate required performance information into specification sections- critical elements of quality assurance and control.



Edit specifications to conform to Owner procurement and contract requirements.



Learn to specify substitution requirements and procedures and evaluate the acceptability of substitution request submittals in order to maintain project quality, code requirements, and sustainability goals.





## DOMAIN 3:

## PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS



- Edit specifications to conform to owner procurement and contract requirements.
- 3B Coordinate Division 01 General Requirements with all other specifications.
- Incorporate project-specific requirements into Division 01 sections.
- Specify the project measurement and payment procedures.
- 3E Specify substitution requirements and procedures.



## DOMAIN 3:

## PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS



- 3F Evaluate the acceptability of substitution request submittal.
- 3G Specify RFI requirements and procedures.
- Evaluate and specify delegated design (e.g., application, scope, process).



# PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS

"The sections in Division 01, which are collectively referred to as the General Requirements, specify administrative requirements, procedural requirements, temporary facilities and controls, performance requirements, and life cycle activities."

-CSPG






# PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS COMPETENCY 3A



LO1 Identify the documents and specifications that need to be edited based on the owner's requirements.

Edit specifications to conform to owner procurement and contract requirements.





## PROJECT MANUAL

Understand the distinction between:

- Project Manual.
- Contract Documents.
- Procurement Requirements.

**Tip:** Blank version provided in the study workbook- fill it out!



PDPG REF: Figure 5.1



## **Procurement and Contracting Requirements**

#### PROCUREMENT AND CONTRACTING REQUIREMENTS

#### **DIVISION 00**

INTRODUCTORY INFORMATION

00 01 01 Project Title Page 00 01 05 Certifications Page 00 01 07 Seals Page 00 01 10 Table of Contents 00 01 15 List of Drawing Sheets 00 01 20 List of Schedules

PROCUREMENT REQUIREMENTS

00 10 00 SOLICITATION
00 11 13 Advertisement for Bids
00 11 16 Invitation to Bid
00 20 00 INSTRUCTIONS FOR PROCUREMENT
00 22 13 Supplementary Instructions to Bidders
00 30 00 AVAILABLE INFORMATION
00 31 13 Preliminary Schedules
00 31 19 Existing Condition Information
00 31 32 Geotechnical Data
00 40 00 PROCUREMENT FORMS AND SUPPLEMENTS
00 41 00 Bid Forms
00 43 00 Procurement Form Supplements
00 43 13 Bid Security Form
00 45 00 Representations and Certifications

**CSPG REF: Figure 11.1** 






CONTRACTING REQUIREMENTS 00 50 00 CONTRACTING FORMS AND SUPPLEMENTS 00 52 00 Agreement Forms 00 60 00 PROJECT FORMS 00 61 00 Bond Forms 00 62 00 Certificates and Other Forms 00 70 00 CONDITIONS OF THE CONTRACT 00 72 00 General Conditions 00 73 00 Supplementary Conditions

**CSPG REF: Figure 11.1** 





Procurement Requirements Not Specifications

Contracting Requirements Not Specifications

Specifications



## **Procurement Requirements**

Provisions that are stated only in procurement requirements are not enforceable during the administration of the construction contract.

- Procurement requirements <u>should not</u> repeat Division 01 provisions.
- Procurement requirements <u>should</u> refer to the appropriate Division 01 sections, by number and title.
- Procurement requirements <u>should</u> state provisions applicable only during the
  procurement stage—such as document acquisition and cost, bid security requirements,
  and bid opening dates.





The owner-contractor agreement includes by reference all other contract documents.

- Some provisions are supplemented by the provisions of Division 01 sections.
  - Division 01 provisions define the parties' responsibilities in greater detail.



### **General Conditions**

The contract's general conditions govern the work's execution and apply broadly to all sections of the specifications, including those in Division 01.

- The topics usually covered that must be further detailed in Division 01:
  - Property surveys.
  - Temporary utilities and services.
  - Warranties.
  - Progress schedules.
  - Record documents.
  - Submittals.

- Cutting and patching.
- Cleaning.
- Schedule of values.
- Applications for payment.
- Closeout procedures.

""Say it once and in the right place" is not violated because the requirements are stated in two different levels of detail, without duplication or conflict."



## **Supplementary Conditions**

Supplementary conditions should not repeat information in the General Conditions or encroach on topics that belong more appropriately in Division 01.

- Supplementary conditions <u>should</u> avoid conflicts, omissions, and duplications with Division 01.
- Supplementary conditions <u>should not</u> contain general references to Division 01.
  - Exception: A statement establishing the authority of Division 01.



# PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS COMPETENCY 3B



- LO1 Summarize the three-tier hierarchy of general administrative and procedural requirements.
- LO2 Differentiate between requirements that should be covered in Division 01 and requirements that are specific to individual specification sections.
- LO3 Edit specification sections of Divisions 02 through 49 to resolve requirements that overlap with Division 01.

Coordinate Division 01 General Requirements with all other specifications.



## **Three-Tier Hierarchy**


Project requirements become more specific for each successive level of a three-tier hierarchy:

- The general conditions state provisions in broad terms.
- Division 01—General Requirements elaborate on the broad provisions of the conditions of the contract, but it is still written broadly enough to apply to the work of all specification sections.
- PART 1—GENERAL in a specification section becomes very specific in project requirements for that section only.





## **Three-Tier Hierarchy**



**CSPG REF: Figure 3.2** 



## **Three-Tier Hierarchy**

Division 01 specifies the broad administrative and procedural requirements.

The individual specification sections state further requirements of details applicable only to the work or products in that section.

- In Division 01 SectionFormat®:
  - PART 1—GENERAL should contain bulk of administrative and procedural requirements.
  - PART 2—PRODUCTS and PART 3—EXECUTION may include some items related to administrative and procedural requirements.

**CSPG REF: 3.3.5** 

TIPS! "Sections of Division 01—General Requirements govern the work of all sections of the specifications."



## Coordination of Division 01 - General Requirements

#### **CONDITIONS OF THE CONTRACT**

Are inherent part of the Agreement

With the Agreement govern the content of the entire contract

Contain contractual principles applicable to most projects with supplements for a particular project

### GENERAL CONDITIONS

Are broad contractual conditions

Contain the constants

Relatively static content thus allowing the use of published standard documents SUPPLEMENTARY CONDITIONS

Modify the contractual conditions

Modify the constants for a specific region or project

Take precedence over general conditions

Must be written separately for each project

ARE NOT SPECIFICATIONS

#### **DIVISION 01-GENERAL REQUIREMENTS**

An inherent part of the Specifications

Administratively governs the Specification sections

Contains specifics directly applicable to a

#### **SECTIONS OF DIVISION 01**

Contain specific administrative and procedural requirements

particular project

Contain variables directly applicable for specific project

Must be written separately for each project

ARE SPECIFICATIONS


Articles in the conditions of the contract are commonly developed in greater detail in Division 01.

- General and supplementary conditions are written in a paragraph style.
- Division 01 is written in the threepart SectionFormat<sup>®</sup>.



**Procurement, Contracting, & General Req's** 

**CSPG REF: Figure 3.4** 



Procurement Requirements
Not Specifications

Contracting Requirements
Not Specifications
Specifications





#### The coordination effort should include the following:

- Distributing a draft of Division 01 to specifications contributors early in project development.
- Preparing a list of requirements from consultants and other contributors on administrative, procedural, and temporary facility and control requirements for specific sections or divisions.
- Comparing this list of requirements with the draft of Division 01.
- Determining requirements should be covered in Division 01 and which are specific only to individual specification sections.
- Resolving overlapping requirements, omissions, and conflicts.
- Revising the Division 01 draft for review by specification contributors.

TIPS! "The practice of including Basic Requirements or Special Provisions sections in individual divisions is not recommended and may result in conflicts with Division 01."



# PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS COMPETENCY 3C



- LO1 Identify commonly used Division 01 sections.
- LO2 Organize project-specific requirements in the appropriate Division 01 section.

Incorporate project-specific requirements into Division 01 sections.



### **Common Division 01 Sections**

#### **01 10 00 – Summary**

01 11 00 - Summary of Work

01 12 00 – Multiple Contract Summary

01 14 00 – Work Restrictions

#### **01 20 00 - Price and Payment Procedures**

01 21 00 – Allowances

01 22 00 - Unit Prices

01 23 00 – Alternates

01 24 00 – Value Analysis

01 25 00 – Substitution Procedures

01 26 00 – Contract Modification Procedures

01 29 00 – Payment Procedures

#### 01 30 00 - Administrative Requirements

01 31 00 – Project Management and

Coordination

01 32 00 – Construction Progress

Documentation

01 33 00 – Submittal Procedures

01 35 00 – Special Procedures

#### 01 40 00 - Quality Requirements



### **Common Division 01 Sections Cont.**

#### 01 50 00 - Temporary Facilities and Controls

01 51 00 – Temporary Utilities

01 52 00 - Construction Facilities.

01 53 00 – Temporary Construction

01 54 00 - Construction Aids

01 55 00 – Vehicular Access and parking

01 56 00 – Temporary Barriers and

**Enclosures** 

01 57 00 – Temporary Controls

01 58 00 – Project Identification

#### 01 60 00 - Product Requirements

01 62 00 – Product Options

01 64 00 - Owner-furnished Products

01 65 00 – Product Delivery Requirements

01 66 00 - Product Storage and Handling

Requirements



### **Common Division 01 Sections Cont.**

## 01 70 00 - Execution and Closeout

#### Requirements

01 71 00 – Examination and Preparation

01 73 00 - Execution

01 74 00 – Cleaning and Waste Management

01 75 00 – Starting and Adjusting

01 76 00 – Protecting Installed construction 01 90 00 – Life Cycle Activities

01 77 00 - Closeout Procedures

01 78 00 – Closeout Submittals

01 79 00 – Demonstration and Training

#### 01 80 00 - Performance Requirements

01 81 00 – Facility Performance

Requirements

01 82 00 Through 01 89 00 overall

performance requirements.


01 91 00 – Commissioning

01 92 00 – Facility Operation

01 93 00 – Facility Maintenance

01 94 00 – Facility Decommissioning







# PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS COMPETENCY 3D



- LO1 Identify the appropriate section to use when specifying price and payment procedures.
- LO2 Coordinate allowance information between Division 01 and Divisions 02 through 49.
- LO3 Coordinate alternates information between Division 01 and Divisions 02 through 49.
- LO4 Coordinate unit price information between Division 01 and Divisions 02 through 49.

Specify the project measurement and payment procedures.



## **Price and Payment Procedures**

#### **01 20 00 – Price and Payment Procedures**

```
01 21 00 - Allowances
```

01 22 00 - Unit Prices

01 23 00 - Alternates

01 24 00 – Value Analysis

01 25 00 – Substitution Procedures

01 26 00 – Contract Modification Procedures

**CSPG REF: 3.5.2** 

01 29 00 – Payment Procedures



## **Specifying Allowances**

The use of allowances in a construction project requires written provisions in several procurement documents.

- Procurement requirements.
- Conditions of the Contract.
- Division 01—General Requirements.
- Individual specification sections for items covered by the allowances.

#### These documents must state the following:

- Precisely what is included under the allowance.
- Who is to authorize items covered by allowances.
- How costs are adjusted if the actual price, quantity, or time varies from the amount stated.





The Allowances articles in AIA Document A201™, General Conditions of the Contract for Construction, and ConsensusDocs 200, Standard Agreement and General Conditions Between Owner and Constructor (Lump Sum), provide cash allowances included in the contract sum.

The Cost of the Work; Allowances; Unit Price of Work article in EJCDC® C-700, Standard General Conditions of the Construction Contract, provides for cash allowances included in the contract sum.

• Provisions, in all contracts above, limit the cash allowance to the materials and equipment delivered to the site, including taxes.



## **Specifying Allowances – Specifications**

**Section 01 21 00—Allowances** or the subordinate sections should specify the dollar amount or quantities, as well as administrative and procedural matters relating to handling allowances.

- **Items covered** by each allowance should be identified and may include the product's cost, delivery to site, installation (if applicable), and taxes.
- **Items not covered** by an allowance may include delivery, storage and handling at the site, installation of the product (if applicable), overhead and profit, and other expenses necessary for a complete installation.

Sections in Divisions 02 through 49 affected by allowances should contain an article in PART 1—GENERAL calling attention to allowances' provisions.

• A/E must provide enough information in PART 2 and PART 3 of each section so that bidders know precisely what is covered by the allowance.

**CSPG REF: 3.6.2** 

## **Specifying Allowances - Specifications**

### CONDITIONS OF THE CONTRACT Supplementary Conditions

Delete Paragraph 11.8—Cash Allowances, and substitute the following:

11.8—Allowances: Include in the Contract Sum all allowances stated in the Contract Documents.

Allowances include specific monetary sums and quantities of work for certain scheduled items. Refer to Section 01 21 13—Cash Allowances and Section 01 21 19—Quantity Allowances for allowance descriptions and requirements.

#### SPECIFICATIONS

Division 01—General Requirements

#### SECTION 01 21 13 CASH ALLOWANCES

#### 1.06 SCHEDULE OF CASH ALLOWANCES

A. Section 04 20 00—Unit Mansonry: Include the unit price of \$350.00 per thousand for purchase and delivery of facing brick. Stipulate the estimated quantity on the Bid Form. Include Installation costs in Contract Sum.

#### Division 04—Masonry

SECTION 04 20 00 UNIT MASONRY

#### 1.05 ALLOWANCES

 A. Provide selected facing brick under cash allowances specified in Section 01 21 13—Cash Allowances.

### SECTION 01 21 19 QUANTITY ALLOWANCES

#### 1.06 SCHEDULE OF QUANTITY ALLOWANCES

- A. Section 09 68 00—Carpeting: Provide 200 SY, including purchase, delivery, and installation of Type "A" Sheet Carpet.
- B. Section 09 68 00—Carpeting: Provide 400 SY, including purchase, delivery, and installation of Type "B" Sheet Tile.

#### **Division 09—Finishes**

SECTION 09 68 00 CARPETING

#### 1.05 ALLOWANCES

 A. Provide carpet quantities specified under Section 01 21 19—Quantity Allowances.



## **Specifying Allowances - Specifications**

#### **BID FORM**

If quantities for the following allowance items vary from the amounts specified in Section 01 21 29—Quantity Allowances, the Contract Sum will be adjusted in accordance with the following unit prices:

| ITEM DESIGNATION                             | UNIT OF MEASURE | UNIT PRICE |
|--|-----------------|------------|
| <ol> <li>Tenant Corridor Entrance</li> </ol> | Each            | \$         |
| <ol><li>Corridor Partition</li></ol>         | LF              | \$         |

#### **SECTION 01 21 29—QUANTITY ALLOWANCES**

#### 1.06 SCHEDULE OF QUANTITY ALLOWANCES

- A. Item No.1 Tenant Corridor Entrance: Allow a quantity of 55 installed entrances, each to include:
  - 1. Fire-rated hollow-metal frames, Section 08 11 00—Metal Doors and Frames.
  - 1-1/2 hour fire-rated wood doors, 3 feet by 7 feet, Section 08 14 00—Wood Doors, and Section 08 15 00—Plastic Doors.
  - Hardware Set No. 3, Section 08 70 00—Hardware.
  - 4. Doors sign, Section 10 14 00—Identification Specialties.
- B. Item No.2 Corridor Partition: Allow a quantity of 250 linear feet of installed 8-foot high partition include:
  - 3-5/8-inch, 0.0179-inch-thick steel studs spaced 24 inches on center, with two layers of
    - 5/8-inch Type X gypsum board screw attached to each side, Section 09 21 16— Gypsum Board Assemblies.
  - Tenant side finish: One coat of primer and two coats eggshell latex paint, Section 09 90 00—Painting and Coating.
  - 3. Corridor side finish: Type A vinyl wall covering, Section 09 72 00—Wall Coverings.



## **Specifying Unit Prices**

The requirements and procedures for handling unit prices must be defined in the procurement documents.

- These requirements involve the bid or proposal form and carefully written Division 01 Sections.
  - Both must be coordinated with the applicable sections in Divisions 02 through 49.



## **Specifying Unit Prices – Conditions of the Contract**

Most standard general conditions address unit prices, and these requirements need to be expanded in Division 01. Contract documents include the following paragraphs relating to changes in the work and unit prices:

- AIA Document A201® covers unit price adjustments caused by changes in quantities and includes determining the cost or credit to the owner resulting from a change in the work.
- EJCDC® C-700 defines the contract documents as including the contractor's bid when listed and attached as an exhibit to the agreement.
  - This document also:
    - Establishes authority for the engineer.
    - Establishes the contract price for unit price work.
    - Points out that estimated quantities are not guaranteed.
    - Stipulates that unit price bids include the contractor's overhead and profit.

**CSPG REF: 3.8.1** 

Provides for claims for additional costs.



## **Specifying Unit Prices – Specifications**

**Section 01 27 00—Unit Prices** is generally the place for establishing procedural requirements for unit prices. It may either establish or expand upon the following requirements:

- Unit prices include all necessary material, labor, equipment, overhead, profit, and applicable taxes.
- Substantiated measurements of quantities are included with payment applications.
- Quantities outlined in the bid form are estimates based on the work shown on the drawings. Payment is made for work actually performed and measured.
- The final contract sum is adjusted by change order to reflect actual quantities for unit price items. Section must define who is responsible for measuring quantities.

**CSPG REF: 3.8.2** 



## **Specifying Unit Prices – Specifications Cont.**

#### **Section 01 27 00:**

- Covers methods of determining actual quantities for both progress and final payments.
- must be coordinated with the general conditions.
- may include a listing of unit price items showing the item number, designation, unit of measurement, and measurement method.
- Describing unit price items in this section simplifies the bid or proposal form.

If the project contains quantity allowances used in conjunction with unit prices, then either the Level 2 Section 01 21 00—Allowances or the Level 3 Section 01 21 29—Quantity Allowances may contain the following unit price requirement:

Quantities stated for allowances are estimates for the purpose of equitable bidding and
establishing an estimated quantity of work. The owner reserves the right to increase or
decrease quantities by a maximum stated amount. The requested unit prices are used to
adjust the contract sum to reflect actual quantities.

**CSPG REF: 3.8.2** 



## **Specifying Unit Prices – Specifications**

#### **BID FORM**

#### **SCHEDULE OF PRICES**

| ITEM NO   | DESIGNATION                                   | UNIT OF<br>MEASURE | UNIT OF PRICE | ESTIMATED<br>QUANTITY | TOTAL PRICE   |
|-----------|---|--------------------|---------------|-----------------------|---------------|
|           | Refer to Section                              |                    | Dollars/ Cts  |                       | Dollars/ Cts  |
|           | 01 22 00 - Unit Prices                        |                    |               |                       |               |
| 1         | Earthwork for Utilities                       | CY                 | \$            | 563                   | \$            |
| 2         | 10-inch Ductile Iron Pipe                     | LF                 | \$            | 62                    | \$            |
| 3         | 30-inch Steel Pipe                            | LF                 | \$            | 234                   | \$            |
| 4         | 30-inch Prestressed<br>Concrete Cycliner Pipe | LF                 | \$            | 115                   | \$            |
| 5         | 30-inch Valve and Vault                       | EA                 | \$            | 2                     | \$            |
| TOTAL PRI | CE:   |                    |               | (\$                   | )             |
|           | (In \   | Words)             |               |                       | (In Numerals) |

**CSPG REF: Figure 3.8** 



## **Specifying Unit Prices – Specifications**

#### **SECTION 01 22 00—UNIT PRICES**

#### 1.04 SCHEDULE OF UNIT PRICE ITEMS

- A. Item No. 1 Earthwork Utilities
  - Trench Excavation, select granular backfill, and compaction in accordance with Section 31 23 00—Excavation and Fill.
  - 2. Unit Measure: Cubic yards of backfill compacted in place.
- B. Item No. 2 10-inch Ductile Iron Pipe
  - Pipe and fittings including pressure-testing in accordance with Section 33 10 00— Water Utilities.
  - Unit Measure: Linear feet of pipe installed.
- C. Item No. 3 30-inch Steel Pipe
  - Pipe and fittings including pressure-testing in accordance with Section 33 10 00— Water. Utilities.
  - Unit Measure: Linear feet of pipe installed.
- D. Item No. 4 30-inch Pre-stressed Concrete Cylinder Pipe
  - Pipe and fittings including pressure-testing in accordance with Section 33 10 00— Water. Utilities.
  - Unit Measure: Linear feet of pipe installed.
- E. Item No. 5 30-inch Valve and Vault
  - Valve, vault, roadway box, frames, and covers in accordance with DPW Standard No. 890.01 and Section 33 10 00—Water Utilities.

**CSPG REF: Figure 3.8** 

Unit Measure: Each valve with vault installed.



## **Specifying Alternates**

If alternates are to be used, special provisions must be incorporated in the documents to make them useful.

#### **Procurement Requirements:**

- The solicitation should inform bidders or proposers of the request for alternate prices in the invitation for bids.
- Solicitation instructions may contain guidance for preparing alternate bids or proposals and state considerations for evaluation and contract award.
- Bid or proposal forms should clearly identify alternates with spaces for the respective prices.





#### **Agreement and Conditions of the Contract:**

- Executed Agreement: Indicate, as part of the work description, which alternates have been selected by the owner.
- The contract sum must accurately reflect those decisions.
- Modifications of standard general conditions are generally not required.
- Alternates listed in the agreement form become part of the work.





#### **Section 01 23 00—Alternates**

- Identify each alternate and describe the work changes included in each.
- Refer to individual specification sections affected by the alternates.
- If not shown on the drawings, describe certain areas or portions of the work to clarify the locations of changes necessitated by the incorporation of alternates.

The sections in Divisions 02 through 49 affected by the alternates should contain a coordinating or clarifying statement calling attention to the provisions for alternates.

Statements should be included in PART 1—GENERAL under the Summary article.





#### PROCEDURE REQUIREMENTS

#### Invitation to Bid

Type of Bids: Bids shall be on a stipulated-sum basis of the base contract, and include a separate price for each alternate.

#### Instructions to Bidders

Each alternate is described is described in the Specifications and is provided for in the Bid Form.

The price of the Bid for each alternate will be the amount to be added to or deducted from the price of the Base Bid if the Owner selects the alternate.

The Owner may accept alternates in any order, regardless of how they are listed, and determine the lowest responsible bidder on the basis of the sum of the base bid plus any selected alternates.

|  | Bid Form |               |   |
|--|----------|---------------|---|
| Alternate No.1—Patient Room Televisions: |          |               |   |
| Add                                      |          | Dollars (\$   | ) |
| (In Words)                               |          | (In Numerals) |   |

**CSPG REF: Figure 3.7** 



## **Specifying Alternates**

#### **CONTRACTING REQUIREMENTS**

#### Agreement

The Contractor shall perform all work required by the Contract Documents for TLC Nursing Home at 123 Primrose Lane, Anywhere, USA, including Alternates No. 1, 2, 3 as described in Section 01 23 00—Alternates, of the Specifications.

#### SPECIFICATIONS SECTION 01 23 00

#### 1.06 ALTERNATIVE NO. 1—PATIENT ROOM TELEVISIONS

A. Provide 72 bedside bracket-mounted television sets on the first floor of "A-Wing" as Specified in Section 27 41 19—Portable Audio-Video Equipment.

#### **SECTION 26 61 50**

#### 1.04 ALTERNATES

 Refer to Section 01 23 00—Alternates, for description of work under this Section affected by alternates.

**CSPG REF: Figure 3.7** 



# PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS COMPETENCY 3E



LO1 Interpret Section 01 25 00 – Substitution Procedures to determine the requirements for substitution requests.

Specify substitution requirements and procedures.



## **Substitutions - Requirements**

#### **Section 01 25 00—Substitution Procedures:**

• Procurement Requirements: Refer to this section as the basis for the procurement process.

**CSPG REF: 3.5.2** 

• Procedures may serve both procurement phase and after contract is awarded.



# PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS COMPETENCY 3F



LO1 Compare a substitution request to Section 01 25 00 – Substitution Procedures to determine acceptability of the submittal.

Evaluate the acceptability of substitution request submittal.



### **Substitutions - Procedures**

#### **Section 01 25 00—Substitution Procedures:**

 Specify basic requirements for consideration of the contractor's proposals for substitution of products.

**CSPG REF: 3.5.2** 

- Include general rules and procedures for determining whether products are equivalent.
- Specify requirements and procedures for substitution of a specified installer.





## **Substitutions – During Bidding/Negotiating Phase**

| SUBSTITUTION REQ<br>(During the Bidding/Negotiati<br>Phase) |  | The Undersigned certifies:  • Proposed substitution has been fully investigated and determined to be equal or superior in all respects to specified product.  • Same warranty will be furnished for proposed substitution as for specified product.  • Same maintenance service and source of replacement parts, as applicable, is available. |
|---|--|---|
| PROJECT:  | SUBSTITUTION REQUEST NUMBER: FROM:   | Proposed substitution will have no adverse effect on other trades and will not affect or delay progress schedule. Proposed substitution does not affect dimensions and functional clearances. Payment will be made for changes to building design, including A/E design, detailing, and construction costs caused by the substitution.        |
| то:   | DATE:  A/E PROJECT NUMBER:   | SUBMITTED BY: SIGNED BY: FIRM:  |
| RE:   | CONTRACT FOR:  | ADDRESS: TELEPHONE:  A/E's REVIEW AND RECOMMENDATION:   |
| SPECIFICATION TITLE:  | DESCRIPTION:   | ☐ Approve Substitution—Make submittals in accordance with Specification Section 01 33 00 Submittal Procedures.  |
| SECTION: PAGE:  | ARTICLE/PARAGRAPH:   | Approve Substitution as noted—Make submittals in accordance with Specification Section 01 33 00 Submittal Procedures.   |
| PROPOSED SUBSTITUTUION:                                     |  | Reject Substitution—Use specified materials.  |
| MANUFACTURER: ADDRES  | S: PHONE:  | Substitution Request received too late—Use specified materials.   |
| TRADE NAME:   | MODEL NO.:   | SIGNED BY: DATE:  |
| adequate for evaluation of the request; applicable por      | tions drawings, photographs, and performance and test da<br>tions of the data are clearly identified.<br>the Contract Documents that the proposed substitution | SUPPORTING DATA ATTACHED: Drawings Product Data Samples Tests Reports   |





## **Substitutions – After the Bidding/Negotiating Phase**

## SUBSTITUTION REQUEST (After the Bidding/Negotiating Phase)



| PROJECT:               | SUBSTITUTION REQUEST NUMBER:                                       |
|------------------------|--|
|                        | FROM:  |
| то:                    | DATE:  |
|                        | A/E PROJECT NUMBER:  |
| RE:                    | CONTRACT FOR:  |
|                        |  |
| SPECIFICATION TITLE:   | DESCRIPTION:   |
| SECTION: PAGE          | : ARTICLE/PARAGRAPH:   |
|                        |  |
| PROPOSED SUBSTITUTION: |  |
| MODEL NO.: PRODUCT AG  | E: New Product 1-4 years old 5-10 years old More than 10 years old |
| MANUFACTURER:          |  |
| ADDRESS:               | PHONE:   |
| INSTALLER:             |  |
| ADDRESS:               | PHONE:   |

| DIFFERENCES BETWEEN PROPOSED SUBSTITUTION AND SPECIFIED PRODUCT:  Point-by-point comparative data attached — REQUIRED BY A/E   |
|--|
| REASON FOR NOT PROVIDING SPECIFIED ITEM:  SIMILAR INSTALLATION:  PROJECT:  ADDRESS:  OWNER:  DATE INSTALLED:  EXPLAIN HOW PROPOSED SUBSTITUTION WILL AFFECT OTHER PARTS OF WORK: |
| SUBSTITUTION WILL:  SAVE OWNER: \$ CHANGE CONTRACT TIME (SPECIFY DAYS ADDED OR SUBTRACTED):  |
| SUPPORTING DATA ATTACHED: Drawings Product Data Samples Tests Reports CONTINUE ON NEXT PAGE  CONTINUE ON NEXT PAGE  CSI Form 13 1A (February 2021 version)                       |





## **Substitutions – After the Bidding/Negotiating Phase**

#### SUBSTITUTION REQUEST



(After the Bidding/Negotiating Phase— Continued)

By signing this form, the undersigned represents that:

- The proposed substitution:
  - · Will perform the same as the specified product;
  - Has the same or more extensive warranties as the specified product;
  - · Requires the same or less maintenance as the specified product;
  - · Has as many or more sources of replacement as the specified product;
  - · Will not affect dimensions or functional clearances in this Project; and
  - Will not adversely affect other trades or delay the progress schedule for this Project.
- The cost data in this form is complete. The undersigned will, if the proposed substitution is accepted and is later found to have directly caused additional costs (e.g., changes to building design, A/E design, detailing, construction costs), pay those costs.
- The undersigned will, if the proposed substitution is accepted, coordinate, install, and change the Work as necessary.

| SUBMITTED BY: |  |
|---------------|--|
| SIGNED BY:    |  |
| FIRM:         |  |
| ADDRESS:      |  |
| TELEPHONE:    |  |
| Attachments   |  |

| A/E'S REVIEW AND RECOMMENDATION:   |             |
|--|-------------|
| <ul> <li>Substitution approved—Make submittals in accordance with Specification Section 01 33 00 Submittal Procedu<br/>and prepare Change Order.</li> </ul>                  | ires        |
| <ul> <li>Substitution approved as noted—Make submittals in accordance with Specification Section 01 33 00 Submittal</li> <li>Procedures and prepare Change Order.</li> </ul> | ıl.         |
| Substitution rejected—Use specified materials.   |             |
| Substitution Request received too late and is rejected—Use specified materials.  |             |
| SIGNED BY: DATE:   |             |
| OWNER'S REVIEW AND RECOMMENDATION:   |             |
| <ul> <li>Substitution approved—Make submittals in accordance with Specification Section 01 33 00 Submittal Procedu<br/>and prepare Change Order.</li> </ul>                  | ires        |
| <ul> <li>Substitution approved as noted—Make submittals in accordance with Specification Section 01 33 00 Submittal</li> <li>Procedures and prepare Change Order.</li> </ul> | d           |
| Substitution rejected—Use specified materials.   |             |
| SIGNED BY: DATE:   |             |
| ADDITIONAL COMMENTS: Contractor Subcontractor Supplier Manufacturer A/E  |             |
| Page of CSI Form 13.1A (February 202   | 21 version) |



# PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS COMPETENCY 3G



LO1 Interpret Section 01 26 00 – Contract Modification

Procedures to determine the requirements for a request for information (RFI).

Specify RFI requirements and procedures.





#### **Section 01 26 00—Contract Modification Procedures:**

- Provide a method to allow the contractor or the owner to request clarification about an item of work insufficiently described or detailed in the contract documents.
  - Allow A/E to respond with a clarification that does not require a change to the contract sum or time.
- Specify the modification procedures to be followed and the data required to process contract modifications and substantiate claims for extra time and costs.

**CSPG REF: 3.5.2** 





#### **Section 01 26 00—Contract Modification Procedures:**


- Stipulate the required types of forms to be used by the contractor and A/E for requesting contract modifications and for issuing accepted contract modifications.
  - Include in the project manual a copy of a standardized request for information (RFI)
     form with space for requesting an interpretation and space for a response.

**CSPG REF: 3.5.2** 



### **Contract Modification Procedures - RFI**

| REQUEST FOR INFORMATION           |                            |
|-----------------------------------|----------------------------|
| PROJECT:                          | R.F.I. NUMBER:             |
|                                   | FROM:                      |
| то:                               | DATE:                      |
|                                   | A/E PROJECT NUMBER:        |
| RE:                               | CONTRACT FOR:              |
| SPECIFICATION SECTION: PARAGRAPH: | DRAWING REFERENCE: DETAIL: |
| REQUEST:                          |                            |
| SIGNED BY:                        | DATE:                      |









### **Contract Modification Procedures – Clarification**

| CLARIFICATION  | N NOTICE  | <b>ECS</b>   |
|--|---|--|
| PROJECT:   | CLARIFICATION<br>NOTICE NUMBER:   |  |
|  | FROM:   |  |
| то:  | DATE:   |  |
|  | A/E PROJECT NUMBER:   | 1  |
| RE:  | CONTRACT FOR:   |  |
| This Clarification Notice is issued for<br>reasonably inferable from the Contra<br>Proceeding with Work in accordance<br>Sum or Contract Time. | e purpose of clarifying the Contract Documents<br>t Documents, and therefore has no effect on the<br>ith this Clarification Notice Indicates acceptance | based on an interpretation<br>Contract Sum or Contract Time.<br>with go change in the Contract |
| SPECIFICATION SECTION:   | RAGRAPH: DRAWING BEFERENCE:   | DETAIL:  |
| DESCRIPTION:   |   |  |









# PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS COMPETENCY 3H



- LO1 Determine circumstances for which delegated design is appropriate.
- LO2 Identify where in the documents delegated design should be specified.

Evaluate and specify delegated design (e.g., application, scope, process).





There are some building components that are not fully designed or engineered by A/E.

- Primary reasons for this exception:
  - Building component has unique design requirements with which only the product manufacturer would be familiar.
  - Manufacturer has the capacity to design and engineer as part of their normal service.

**PDPG REF: 8.6.9** 



## **Delegated Design - Specifications**

A/E specifies that the responsibility for the design and engineering is delegated to the contractor.

- Include requirements for delegated design and engineering in the respective specification section.
  - There are two options in response to this requirement:
    - Contractor will retain a properly licensed A/E to design and engineer the installation of the material, product, system, or equipment.
    - Subcontractor or supplier will either have A/E on staff or will obtain the services of an independent A/E to perform the work.
  - Manufacturer or subcontractor will submit drawings and engineering calculations or certifications as submittals through the contractor.

**PDPG REF: 8.6.9** 




## **Chapter 4 Modifications**

#### When do modifications happen?


- Procurement
  - Addenda
- Contract
  - AIA
    - Change Order, Construction change directive, Minor changes to the work
  - EJCDC
    - Change Order, Work change directive, Field Order, Written interpretation or clarification

- DBIA
  - Change Order, Work change directive, Minor changes
- Other
  - Change Order
     Proposal Request





## **Chapter 5 Specifying for Purchase of Goods**



#### **Uniform Commercial Code, UCC**

- Protects the buyer.
- Protects the seller.

#### **Purchasing documents**

- AIA A151 & A152
- EJCDC P-200, P-520, P-700, P-800
- ConsensusDocs 702, 702.1, 703


#### **Terms to remember**

Buyer, seller, goods, services



## **Chapter 6 Federal Agencies**








### **Federal Acquisition Regulation, FAR**


- Prepared, issued, and maintained jointly by:
  - DoD
  - NASA
  - GSA
- Be aware of the acronyms in this chapter



## **Chapter 6 Federal Agencies**









# RECAP: PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS



COMPETENCIES

- 3A Edit specifications to conform to owner procurement and contract requirements.
- Coordinate Division 01 General Requirements with all other specifications.
- Incorporate project-specific requirements into Division 01 sections.
- SD Specify the project measurement and payment procedures.
- 3E Specify substitution requirements and procedures.



# RECAP: PROCUREMENT, CONTRACTING, & GENERAL REQUIREMENTS



COMPETENCIES

- 3F Evaluate the acceptability of substitution request submittal.
- 3G Specify RFI requirements and procedures.
- Evaluate and specify delegated design (e.g., application, scope, process).



## QUESTIONS?

## **CONTACT US**



sgantner@conspectusinc.com

https://www.conspectusinc.com/

Questions about CEs and recordings:

tmontone@conspectusinc.com







